


PN AD0105B
RF freq [MHz] 100
RF Pwr [dBm] 0
LO Pwr [dBm] 5
Freq Step Size [MHz] 4.4500



Baseband Freq (MHz)	Normalized Response[dB] For Configuration:		
	350MHz -3dB LPF	560MHz -3dB LPF	
10.00	0.00	0.00	0.00
14.45	0.00	0.01	0.16
18.90	0.00	0.05	0.14
23.35	0.00	-0.02	-0.01

Data Set: 350MHz -3dB LPF				
Attenuation Point [dB]	-1	-2	-3	-20
Frequency [MHz]	108	166	210	-

Data Set: 350MHz -3dB LPF

Attenuation Point [dB]	-1	-2	-3	-20
Frequency [MHz]	108	166	210	-

Baseband Freq (MHz)	Normalized Response[dB] For Configuration:		
	350MHz -3dB LPF	560MHz -3dB LPF	
27.80	0.00	-0.26	-0.24
32.25	0.00	-0.13	-0.12
36.70	0.00	-0.17	-0.16
41.15	0.00	-0.09	-0.10
45.60	0.00	-0.15	-0.10
50.05	0.00	-0.21	-0.20
54.50	0.00	-0.23	-0.27
58.95	0.00	-0.27	-0.30
63.40	0.00	-0.34	-0.38
67.85	0.00	-0.43	-0.49
72.30	0.00	-0.53	-0.53
76.75	0.00	-0.57	-0.61
81.20	0.00	-0.63	-0.67
85.65	0.00	-0.69	-0.70
90.10	0.00	-0.74	-0.80
94.55	0.00	-0.79	-0.82
99.00	0.00	-0.89	-0.91
103.45	0.00	-0.94	-0.97
107.90	0.00	-0.97	-1.00
112.35	0.00	-1.04	-1.08
116.80	0.00	-1.08	-1.14
121.25	0.00	-1.18	-1.23
125.70	0.00	-1.28	-1.33
130.15	0.00	-1.37	-1.42
134.60	0.00	-1.45	-1.51
139.05	0.00	-1.54	-1.58
143.50	0.00	-1.65	-1.69
147.95	0.00	-1.72	-1.77

Data Set: 350MHz -3dB LPF

Attenuation Point [dB]	-1	-2	-3	-20
Frequency [MHz]	108	166	210	-

Baseband Freq (MHz)	Normalized Response[dB] For Configuration:		
	350MHz -3dB LPF	560MHz -3dB LPF	
152.40	0.00	-1.81	-1.86
156.85	0.00	-1.87	-1.90
161.30	0.00	-1.97	-2.00
165.75	0.00	-2.02	-2.07
170.20	0.00	-2.09	-2.13
174.65	0.00	-2.18	-2.23
179.10	0.00	-2.28	-2.31
183.55	0.00	-2.39	-2.41
188.00	0.00	-2.49	-2.54
192.45	0.00	-2.58	-2.62
196.90	0.00	-2.68	-2.72
201.35	0.00	-2.78	-2.82
205.80	0.00	-2.88	-2.92
210.25	0.00	-2.97	-3.00
214.70	0.00	-3.07	-3.09
219.15	0.00	-3.13	-3.13
223.60	0.00	-3.23	-3.22
228.05	0.00	-3.31	-3.29
232.50	0.00	-3.40	-3.40
236.95	0.00	-3.54	-3.49
241.40	0.00	-3.66	-3.61
245.85	0.00	-3.79	-3.73
250.30	0.00	-3.93	-3.86
254.75	0.00	-4.05	-3.98
259.20	0.00	-4.17	-4.09
263.65	0.00	-4.28	-4.18
268.10	0.00	-4.37	-4.26
272.55	0.00	-4.50	-4.35

Data Set: 350MHz -3dB LPF

Attenuation Point [dB]	-1	-2	-3	-20
Frequency [MHz]	108	166	210	-

Baseband Freq (MHz)	Normalized Response[dB] For Configuration:		
	350MHz -3dB LPF	560MHz -3dB LPF	
277.00	0.00	-4.59	-4.40
281.45	0.00	-4.70	-4.49
285.90	0.00	-4.80	-4.57
290.35	0.00	-4.91	-4.65
294.80	0.00	-5.02	-4.73
299.25	0.00	-5.16	-4.83
303.70	0.00	-5.31	-4.95
308.15	0.00	-5.47	-5.07
312.60	0.00	-5.66	-5.21
317.05	0.00	-5.85	-5.34
321.50	0.00	-6.04	-5.46
325.95	0.00	-6.22	-5.57
330.40	0.00	-6.39	-5.64
334.85	0.00	-6.57	-5.73
339.30	0.00	-6.75	-5.79
343.75	0.00	-6.95	-5.88
348.20	0.00	-7.15	-5.97
352.65	0.00	-7.37	-6.04
357.10	0.00	-7.58	-6.12
361.55	0.00	-7.88	-6.21
366.00	0.00	-8.25	-6.30
370.45	0.00	-8.72	-6.42
374.90	0.00	-9.21	-6.54
379.35	0.00	-9.74	-6.69
383.80	0.00	-10.29	-6.81
388.25	0.00	-10.89	-6.93
392.70	0.00	-11.59	-7.02
397.15	0.00	-12.48	-7.10

Data Set: 350MHz -3dB LPF

Attenuation Point [dB]	-1	-2	-3	-20
Frequency [MHz]	108	166	210	-

Baseband Freq (MHz)	Normalized Response[dB] For Configuration:		
	350MHz -3dB LPF	560MHz -3dB LPF	
401.60	0.00	-13.66	-7.21
406.05	0.00	-15.03	-7.30
410.50	0.00	-16.62	-7.41
414.95	0.00	-18.33	-7.50
419.40	0.00	-20.13	-7.58
423.85	0.00	-22.04	-7.68
428.30	0.00	-24.14	-7.77
432.75	0.00	-26.45	-7.88
437.20	0.00	-28.91	-7.99
441.65	0.00	-31.69	-8.15
446.10	0.00	-34.77	-8.28
450.55	0.00	-37.64	-8.39
455.00	0.00	-41.65	-8.53
459.45	0.00	-43.80	-8.70
463.90	0.00	-46.31	-8.83
468.35	0.00	-46.89	-8.96
472.80	0.00	-46.79	-9.07
477.25	0.00	-46.38	-9.23
481.70	0.00	-46.76	-9.38
486.15	0.00	-47.87	-9.53
490.60	0.00	-47.87	-9.70
495.05	0.00	-47.54	-9.88
499.50	0.00	-48.40	-10.06
503.95	0.00	-49.04	-10.25
508.40	0.00	-50.02	-10.46
512.85	0.00	-50.04	-10.67
517.30	0.00	-52.17	-10.89
521.75	0.00	-52.48	-11.12

Data Set: 350MHz -3dB LPF

Attenuation Point [dB]	-1	-2	-3	-20
Frequency [MHz]	108	166	210	-

Baseband Freq (MHz)	Normalized Response[dB] For Configuration:		
	350MHz -3dB LPF	560MHz -3dB LPF	
526.20	0.00	-54.08	-11.37
530.65	0.00	-53.26	-11.63
535.10	0.00	-53.91	-11.91
539.55	0.00	-53.92	-12.21
544.00	0.00	-55.57	-12.55
548.45	0.00	-54.62	-12.93
552.90	0.00	-55.34	-13.37
557.35	0.00	-54.37	-13.91
561.80	0.00	-55.88	-14.55
566.25	0.00	-54.92	-15.30
570.70	0.00	-54.78	-16.19
575.15	0.00	-53.93	-17.18
579.60	0.00	-52.71	-18.31
584.05	0.00	-52.86	-19.59
588.50	0.00	-52.31	-21.01
592.95	0.00	-52.43	-22.57
597.40	0.00	-53.28	-24.29
601.85	0.00	-51.69	-26.10
606.30	0.00	-52.04	-28.09
610.75	0.00	-52.16	-30.12
615.20	0.00	-52.01	-32.24
619.65	0.00	-52.28	-34.42
624.10	0.00	-51.92	-36.74
628.55	0.00	-52.21	-39.01
633.00	0.00	-52.13	-41.49
637.45	0.00	-52.80	-44.03
641.90	0.00	-54.00	-46.66
646.35	0.00	-53.95	-49.18

Data Set: 350MHz -3dB LPF

Attenuation Point [dB]	-1	-2	-3	-20
Frequency [MHz]	108	166	210	-

Baseband Freq (MHz)	Normalized Response[dB] For Configuration:		
	350MHz -3dB LPF	560MHz -3dB LPF	
650.80	0.00	-54.25	-52.92
655.25	0.00	-55.41	-54.85
659.70	0.00	-53.16	-57.19
664.15	0.00	-55.18	-58.11
668.60	0.00	-55.34	-57.57
673.05	0.00	-55.85	-58.11
677.50	0.00	-57.63	-58.05
681.95	0.00	-58.78	-59.11
686.40	0.00	-54.95	-58.38
690.85	0.00	-57.17	-59.80
695.30	0.00	-58.68	-60.93
699.75	0.00	-57.98	-61.54
704.20	0.00	-58.90	-61.04
708.65	0.00	-61.55	-60.44
713.10	0.00	-61.23	-62.15
717.55	0.00	-56.51	-65.19
722.00	0.00	-61.60	-91.73
726.45	0.00	-60.34	-61.29
730.90	0.00	-61.22	-58.56
735.35	0.00	-59.78	-62.59
739.80	0.00	-72.94	-59.76
744.25	0.00	-81.74	-59.73
748.70	0.00	-67.02	-64.80
753.15	0.00	-63.69	-57.22
757.60	0.00	-66.59	-58.12
762.05	0.00	-76.57	-57.47
766.50	0.00	-66.43	-58.86
770.95	0.00	-72.24	-54.72

Data Set: 350MHz -3dB LPF

Attenuation Point [dB]	-1	-2	-3	-20
Frequency [MHz]	108	166	210	-

Baseband Freq (MHz)	Normalized Response[dB] For Configuration:		
	350MHz -3dB LPF	560MHz -3dB LPF	
775.40	0.00	-64.59	-55.49
779.85	0.00	-80.26	-54.62
784.30	0.00	-71.91	-54.26
788.75	0.00	-65.41	-55.55
793.20	0.00	-71.59	-54.57
797.65	0.00	-74.50	-54.24
802.10	0.00	-75.82	-55.48
806.55	0.00	-64.40	-57.27
811.00	0.00	-64.45	-56.07
815.45	0.00	-73.18	-54.90
819.90	0.00	-63.65	-55.15
824.35	0.00	-61.45	-53.30
828.80	0.00	-60.04	-54.35
833.25	0.00	-79.35	-55.24
837.70	0.00	-70.64	-55.24
842.15	0.00	-78.67	-56.34
846.60	0.00	-67.85	-55.56
851.05	0.00	-64.31	-55.08
855.50	0.00	-64.12	-54.52
859.95	0.00	-62.18	-58.91
864.40	0.00	-62.21	-57.38
868.85	0.00	-67.25	-55.27
873.30	0.00	-61.13	-55.66
877.75	0.00	-63.51	-56.69
882.20	0.00	-65.12	-56.52
886.65	0.00	-60.76	-55.52
891.10	0.00	-62.66	-57.03
895.55	0.00	-59.68	-58.53

Baseband Freq (MHz)	Normalized Response[dB] For Configuration:			Data Set: 350MHz -3dB LPF				
		350MHz -3dB LPF	560MHz -3dB LPF	Attenuation Point [dB]	-1	-2	-3	-20
				Frequency [MHz]	108	166	210	-
900.00	0.00	-66.19	-57.78					